

**Safety data sheet**  
according to 1907/2006/EC (REACH)

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: **BENZOCLEAN 40 L LV**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the preparation**

Hardening agent/ Curing agent  
Catalyst

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

RAICHEM S.r.l.  
Via Don Grazioli, 53 - Località Gavassa  
42122 Reggio Emilia (Italy)  
Tel.: +39 0522 511182 - Fax: +39 0522 920616

Further information obtainable from: RAICHEM S.r.l. - E-mail: laboratorio@raichem.it

**1.4 Emergency telephone number:**

RAICHEM S.r.l. - Tel. +39 0522 511182 (Monday-Friday: 8.00-12.00 a.m., 2.00-6.00 p.m.)

Poison Centres - CENTRI ANTIVELENI (h24 - information in italian):

Milano - Ospedale Niguarda - Tel. +39 02 66101029

Pavia - IRCCS Fondazione Maugeri - Tel. +39 0382 24444

Firenze - Azienda Ospedaliera Careggi - Tel. +39 055 4277238

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Org. Perox. EF H242 Heating may cause a fire.  
Aquatic Acute 1 H400 Very toxic to aquatic life.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.  
.....  
Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

**Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xi; Irritant

R36: Irritating to eyes.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

O; Oxidising

R7: May cause fire.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The Dibenzoyl Peroxide is classified as Oxidizing because it's strongly desensitized by organic liquids and/or inert solid materials and/or water.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Safety data sheet**  
according to 1907/2006/EC (REACH)

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

Trade name: **BENZOCLEAN 40 L LV**

(Contd. of page 1)

· **Hazard pictograms**

GHS02 GHS07 GHS09

· **Signal word** Warning· **Hazard-determining components of labelling:**

dibenzoyl peroxide

· **Hazard statements**

H242 Heating may cause a fire.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H413 May cause long lasting harmful effects to aquatic life.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P411+P235 Store at temperatures not exceeding 30 °C. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.\* **SECTION 3: Composition/information on ingredients**· **3.2 Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Components:**

CAS: 5444-75-7 EINECS: 226-641-8	2-ethylsil benzoato R53 Aquatic Chronic 4, H413	35-50%
CAS: 94-36-0 EINECS: 202-327-6 Index number: 617-008-00-0 Reg.nr.: 01-2119511472-50-XXXX	dibenzoyl peroxide ☒ Xi R36; ☒ Xi R43; ☒ E R3; ☒ O R7; ☒ N R50 ☒ Org. Perox. B, H241; ☒ Aquatic Acute 1, H400; ☒ Eye Irrit. 2, H319; Skin Sens. 1, H317	35-45%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.**SECTION 4: First aid measures**· **4.1 Description of first aid measures**· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.· **After swallowing:** Do not induce vomiting; call for medical help immediately.· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

(Contd. on page 3)

GB

**Safety data sheet**  
**according to 1907/2006/EC (REACH)**

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

Trade name: **BENZOCLEAN 40 L LV**

(Contd. of page 2)

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

##### · Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
 Use fire extinguishing methods suitable to surrounding conditions.

#### · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbonic anhydride (CO<sub>2</sub>)

Carbon monoxide (CO)

Benzoic acid

Benzene

Biphenyl

Phenyl benzoate

Under certain fire conditions, traces of other toxic gases cannot be excluded.

#### · 5.3 Advice for firefighters

##### · Protective equipment:

Do not inhale explosion gases or combustion gases.

Mouth respiratory protective device.

Wear suitable fire protection equipment.

##### · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Keep away from ignition sources.

Ensure adequate ventilation

#### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not allow to dry out

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Protect against electrostatic charges.

##### · Information about fire - and explosion protection:

Protect from heat.

Keep ignition sources away - Do not smoke.

Substance/product is oxidizing when dry.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

##### · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

##### · Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

(Contd. on page 4)

GB

**Safety data sheet**  
according to 1907/2006/EC (REACH)

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

Trade name: **BENZOCLEAN 40 L LV**

(Contd. of page 3)

· **Further information about storage conditions:**

Keep container tightly sealed.  
Prevent from drying out.  
Protect from heat and direct sunlight.  
Store receptacle in a well ventilated area.

The product, stored in the original containers, away from sunlight, maintains its properties for 12 months from the delivery date.

· **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**94-36-0 dibenzoyl peroxide**

WEL (Great Britain)	Long-term value: 5 mg/m <sup>3</sup>
PEL (USA)	Long-term value: 5 mg/m <sup>3</sup>
REL (USA)	Long-term value: 5 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 5 mg/m <sup>3</sup>

· **DNELs**

**94-36-0 dibenzoyl peroxide**

Oral	DNEL/ Long term exposure- Systemic effects	1.65 mg/kg bw/d (general population)
Dermal	DNEL/ Long term exposure- Systemic effects	3.3 mg/kg bw/d (general population) 6.6 mg/kg bw/d (workers)
Inhalative	DNEL/ Long term exposure- Systemic effects	2.9 mg/m <sup>3</sup> (general population) 11.75 mg/m <sup>3</sup> (workers)

· **PNECs**

**94-36-0 dibenzoyl peroxide**

PNEC/ STP	0.35 mg/l (sewage treatment plant)
PNEC/ sediment	0.338 mg/kg dw (freshwater) 0.0338 mg/kg dw (marine water)
PNEC/ soil	0.0758 mg/kg dw (-)
PNEC/aqua	0.602 mg/l (freshwater) 0.602 mg/l (intermittent releases) 0.0602 mg/l (marine water)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Neoprene gloves

(Contd. on page 5)

— GB —

**Safety data sheet**  
according to 1907/2006/EC (REACH)

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

Trade name: **BENZOCLEAN 40 L LV**

(Contd. of page 4)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Light weight protective clothing

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

- **General Information**

- **Appearance:**

- **Form:** Liquid
- **Colour:** Different according to colouring
- **Odour:** Characteristic
- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** Undetermined.

- **Flash point:** Undetermined.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:**

- **Decomposition temperature:** Not determined.

SADT = 50 °C

The SADT (self-accelerating decomposition temperature) is an experimentally determined temperature at which the product, in its conventional packaging will decompose in a selfaccelerating reaction.

- **Self-igniting:** Not determined.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

- **Vapour pressure:** Not determined.

- **Density at 20 °C:** 1 g/cm<sup>3</sup>

- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

- **water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

- **Dynamic:** Not determined.
- **Kinematic:** Not determined.

- **9.2 Other information**

No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

(Contd. on page 6)

— GB —

**Safety data sheet**  
**according to 1907/2006/EC (REACH)**

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

Trade name: **BENZOCLEAN 40 L LV**

(Contd. of page 5)

**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

Exothermic thermal decomposition.

Visible decomposition with spontaneous ignition on heating.

SADT = 50 °C

SADT (Self accelerating decomposition temperature) is the lowest temperature at which self accelerating decomposition may occur with a substance in the packaging as used in transport.

A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be caused by thermal decomposition at and above the SADT.

Contact with incompatible substances can cause decomposition at or below the SADT.

**10.3 Possibility of hazardous reactions**

Reacts with reducing agents.

Reacts with heavy metals.

Reacts with alkali, amines and strong acids.

**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:**

Reducing agents like amines, acids, alkali, compounds based on heavy metals (p.e. accelerators)

**10.6 Hazardous decomposition products:**

Benzoic acid

Benzene

Biphenyl

Phenyl benzoate

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****5444-75-7 2-etilesil benzoato**

Oral LD50 &gt; 2000 mg/kg (rat)

Dermal LD50 &gt; 5000 mg/kg (rabbit)

**94-36-0 dibenzoyl peroxide**

Oral LD0 5000 mg/kg (rat)

Inhalative LC0 24.3 mg/l (rat)

**Primary irritant effect:****on the skin:** No irritant effect.**on the eye:** Irritating effect.**Sensitization:** Sensitization possible through skin contact.**Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:**

No further relevant information available.

**94-36-0 dibenzoyl peroxide**EC50 / 48h 0.110 mg/l (crustacea - *Daphnia magna*) (OECD TG 202)ErC50 / 72h 0.0711 mg/l (algae - *Pseudokirchneriella subcapitata*) (OECD TG 201)LC50 / 96h 0.0602 mg/l (fish - *Oncorhynchus mykiss*) (OECD TG 203)

M Factor 10 (-)

**12.2 Persistence and degradability**

No further relevant information available.

**94-36-0 dibenzoyl peroxide**

Ready Biodegradability in water / 28d 68 % (-) (OCDE TGD301 D)

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC (REACH)

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

Trade name: **BENZOCLEAN 40 L LV**

(Contd. of page 6)

- **12.3 Bioaccumulative potential**  
No further relevant information available.

**94-36-0 dibenzoyl peroxide**

Log Kow 3.2 (-) (OECD TG 117)

- **12.4 Mobility in soil**  
No further relevant information available.

**94-36-0 dibenzoyl peroxide**




Log Koc 3.8 (-) (OCDE TGD 121)

- **Ecotoxicological effects:**
  - **Remark:** Very toxic for fish
- **Additional ecological information:**
  - **General notes:**  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
  - **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations.
  - **Uncleaned packaging:**
    - **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

- |   |  |
|---|--|
| · <b>14.1 UN-Number</b><br>· <b>ADR, IMDG, IATA</b>                                     | UN3107   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b><br>· <b>IMDG</b><br>· <b>IATA</b> | 3107 ORGANIC PEROXIDE TYPE E, LIQUID<br>ORGANIC PEROXIDE TYPE E, LIQUID, MARINE POLLUTANT<br>ORGANIC PEROXIDE TYPE E, LIQUID |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, IMDG</b>                          |  |
|      |  |
|      |  |
| · <b>Class</b><br>· <b>Label</b>  | 5.2 Organic peroxides.<br>5.2  |
| · <b>IATA</b>   |  |
|      |  |
| · <b>Class</b><br>· <b>Label</b>  | 5.2 Organic peroxides.<br>5.2  |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                 | Void   |

(Contd. on page 8)

— GB —

**Safety data sheet**  
according to 1907/2006/EC (REACH)

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

Trade name: **BENZOCLEAN 40 L LV**

(Contd. of page 7)

· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	Yes Symbol (fish and tree)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>14.6 Special precautions for user</b> Warning: Organic peroxides.	
· <b>Danger code (Kemler):</b>	-
· <b>EMS Number:</b>	F-J,S-R
· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> Not applicable.	
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	125 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D
· <b>UN "Model Regulation":</b>	UN3107, ORGANIC PEROXIDE TYPE E, LIQUID, ENVIRONMENTALLY HAZARDOUS, 5.2

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### · National regulations:

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

#### · Other regulations, limitations and prohibitive regulations

The data and the informations reported in the present Material Safety Data Sheet are consistent to the Directives 1967/548/EEC, 1999/45/EC, 76/769/EEC, to the Regulation 1907/2006/EC (REACH) and 1272/2008/CE (CLP) and to what prescribed by the in force regulation in matter of classification, packaging and labelling of dangerous substances and preparations. Finally, users should check and comply with specific national and local laws in matters of hazardous activities and environmental protection (e.g.: gassy, liquid and solid emissions) not specifically covered in this document. Compilation of Safety Data Sheet: Reg.UE n.453/2010 (amending Reg.EC n.1907/2006, Annex II)

### · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H413 May cause long lasting harmful effects to aquatic life.

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R36 Irritating to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R53 May cause long-term adverse effects in the aquatic environment.

R7 May cause fire.

#### · Contact: Raichem S.r.l.

#### · Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging

TLV: Threshold Limit Value

TLV-TWA: Threshold Limit Value - Time Weighted Average

TLV-STEL: Threshold Limit Value - Short Term Exposure Limit

IOELV: Indicative Occupational Exposure Limit Value

BEI: Biological Exposure Indices

LD50: Lethal dose, 50 percent

LC50: Lethal Concentration, 50 percent

(Contd. on page 9)

— GB —



**Safety data sheet**  
**according to 1907/2006/EC (REACH)**

Printing date 10.01.2013

Rev. n. 4

Revision: 01.12.2012

---

**Trade name: BENZOCLEAN 40 L LV**

---

(Contd. of page 8)

*Kow: Octanol-Water partition coefficient**BCF: BioConcentration Factor**LC50: Lethal Concentration, 50 percent**EC50: Effective Concentration, 50 percent**ErC50: Effective Concentration, 50 percent, growth rate**WGK: Wassergefährdungsklasse - Water hazard class [Germany]**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists [USA]**DNEL: Derived No-Effect Level (REACH)**PNEC: Predicted No-Effect Concentration (REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent*

· \* **Data compared to the previous version altered.**

---

— GB —